

[Copy Report to Clipboard](#)

Graphics Feature Status

- Canvas: Software only, hardware acceleration unavailable
- Canvas out-of-process rasterization: Disabled
- Direct Rendering Display Compositor: Disabled
- Compositing: Software only. Hardware acceleration disabled
- Multiple Raster Threads: Enabled
- OpenGL: Disabled
- Rasterization: Software only. Hardware acceleration disabled
- Raw Draw: Disabled
- Video Decode: Software only. Hardware acceleration disabled
- Video Encode: Software only. Hardware acceleration disabled
- Vulkan: Disabled
- WebGL: Software only, hardware acceleration unavailable
- WebGL2: Software only, hardware acceleration unavailable
- WebGPU: Disabled

Problems Detected

- WebGPU has been disabled via blocklist or the command line.
Disabled Features: webgpu
- Accelerated video encode has been disabled, either via blocklist, about:flags or the command line.
Disabled Features: video_encode
- Gpu compositing has been disabled, either via blocklist, about:flags or the command line. The browser will fall back to software compositing and hardware acceleration will be unavailable.
Disabled Features: gpu_compositing

ANGLE Features

- **allowCompressedFormats** (Frontend workarounds): Enabled: true
Allow compressed formats
- **cacheCompiledShader** (Frontend features) [anglebug:7036](#): Enabled: true
Enable to cache compiled shaders
- **disableAnisotropicFiltering** (Frontend workarounds): Disabled
Disable support for anisotropic filtering
- **disableProgramBinary** (Frontend features) [anglebug:5007](#): Disabled
Disable support for GL_OES_get_program_binary
- **disableProgramCachingForTransformFeedback** (Frontend workarounds): Disabled
On some GPUs, program binaries don't contain transform feedback varyings
- **emulatePixelLocalStorage** (Frontend features) [anglebug:7279](#): Disabled: false
Emulate ANGLE_shader_pixel_local_storage using shader images
- **enableCaptureLimits** (Frontend features) [anglebug:5750](#): Disabled
Set the context limits like frame capturing was enabled
- **enableCompressingPipelineCacheInThreadPool** (Frontend workarounds) [anglebug:4722](#): Disabled: false
Enable compressing pipeline cache in thread pool.
- **enableProgramBinaryForCapture** (Frontend features) [anglebug:5658](#): Disabled
Even if FrameCapture is enabled, enable GL_OES_get_program_binary
- **forceDepthAttachmentInitOnClear** (Frontend workarounds) [anglebug:7246](#): Disabled
Force depth attachment initialization on clear ops
- **forceGLErrorChecking** (Frontend features) <https://issuetracker.google.com/220069903>: Disabled
Force GL error checking (i.e. prevent applications from disabling error checking)
- **forceInitShaderVariables** (Frontend features): Disabled
Force-enable shader variable initialization

- **forceRobustResourceInit** (Frontend features) [anglebug:6041](#): **Disabled**
Force-enable robust resource init
- **loseContextOnOutOfMemory** (Frontend workarounds): **Enabled**: true
Some users rely on a lost context notification if a GL_OUT_OF_MEMORY error occurs
- **scalarizeVecAndMatConstructorArgs** (Frontend workarounds) [1165751](#): **Disabled**: false
Always rewrite vec/mat constructors to be consistent
- **allocateNonZeroMemory** (Vulkan features) [anglebug:4384](#): **Disabled**: false
Fill new allocations with non-zero values to flush out errors.
- **allowGenerateMipmapWithCompute** (Vulkan features) [anglebug:4551](#): **Disabled**:
 supportsSubgroupQuadOpsInComputeShader &&
 mSubgroupExtendedTypesFeatures.shaderSubgroupExtendedTypes &&
 maxComputeWorkGroupInvocations >= 256 && ((isAMD && !IsWindows()) || isNvidia ||
 isSamsung)
*Use the compute path to generate mipmaps on devices that meet the minimum
 requirements, and the performance is better.*
- **asyncCommandQueue** (Vulkan features) [anglebug:4324](#): **Disabled**: false
Use CommandQueue worker thread to dispatch work to GPU.
- **bottomLeftOriginPresentRegionRectangles** (Vulkan workarounds): **Disabled**:
 IsAndroid()
*On some platforms present region rectangles are expected to have a bottom-left origin,
 instead of top-left origin as from spec*
- **bresenhamLineRasterization** (Vulkan features): **Enabled**: true
Enable Bresenham line rasterization via VK_EXT_line_rasterization extension
- **clampPointSize** (Vulkan workarounds) [anglebug:2970](#): **Disabled**: isNvidia &&
 nvidiaVersion.major < uint32_t(IsWindows()) ? 430 : 421)
The point size range reported from the API is inconsistent with the actual behavior
- **compressVertexData** (Vulkan workarounds): **Disabled**
*Compress vertex data to smaller data types when possible. Using this feature makes
 ANGLE non-conformant.*
- **deferFlushUntilEndRenderPass** (Vulkan workarounds)
<https://issuetracker.google.com/issues/166475273>: **Enabled**: !isQualcommProprietary
Allow glFlush to be deferred until renderpass ends
- **depthClamping** (Vulkan workarounds) [anglebug:3970](#): **Disabled**: isNvidia &&
 mPhysicalDeviceFeatures.depthClamp &&
 ExtensionFound("VK_EXT_depth_clip_enable", deviceExtensionNames) && (!IsLinux() ||
 nvidiaVersion.major > 418u)
The depth value is not clamped to [0, 1] for floating point depth buffers.
- **disableFifoPresentMode** (Vulkan workarounds) [anglebug:3153](#): **Disabled**: IsLinux() &&
 isIntel
VK_PRESENT_MODE_FIFO_KHR causes random timeouts
- **disableFlippingBlitWithCommand** (Vulkan workarounds) [anglebug:3498](#): **Disabled**:
 IsAndroid() && isQualcommProprietary
vkCmdBlitImage with flipped coordinates blits incorrectly.
- **disallowMixedDepthStencilLoadOpNoneAndLoad** (Vulkan workarounds)
[anglebug:7370](#): **Disabled**: isARM && armDriverVersion < ARMDriverVersion(38, 1, 0)
*Disallow use of LOAD_OP_NONE for only one of the depth or stencil aspects of a
 depth/stencil attachment*
- **eglColorspaceAttributePassthrough** (Vulkan features) [anglebug:7319](#): **Disabled**:
 IsAndroid() && isSamsung
Support passthrough of EGL colorspace attribute values
- **emulateAdvancedBlendEquations** (Vulkan features) [anglebug:3586](#): **Disabled**:
 !mFeatures.supportsBlendOperationAdvanced.enabled && !isIntel
Emulate GL_KHR_blend_equation_advanced
- **emulateDithering** (Vulkan features) [anglebug:6755](#): **Disabled**: IsAndroid()
Emulate OpenGL dithering
- **emulateR32fImageAtomicExchange** (Vulkan workarounds) [anglebug:5535](#): **Enabled**:
 true
Emulate r32f images with r32ui to support imageAtomicExchange.

- **emulateTransformFeedback** (Vulkan features) [anglebug:3205](#): Enabled:
`(!mFeatures.supportsTransformFeedbackExtension.enabled && mPhysicalDeviceFeatures.vertexPipelineStoresAndAtomics == 1U)`
Emulate transform feedback as the VK_EXT_transform_feedback is not present.
- **emulatedPrerotation180** (Vulkan features) [anglebug:4901](#): Disabled
Emulate 180-degree prerotation.
- **emulatedPrerotation270** (Vulkan features) [anglebug:4901](#): Disabled
Emulate 270-degree prerotation.
- **emulatedPrerotation90** (Vulkan features) [anglebug:4901](#): Disabled
Emulate 90-degree prerotation.
- **enableMultisampledRenderToTexture** (Vulkan workarounds) [anglebug:4937](#): Disabled:
`mFeatures.supportsMultisampledRenderToSingleSampled.enabled || mFeatures.supportsMultisampledRenderToSingleSampledGOOGLEX.enabled || (supportsIndependentDepthStencilResolve && !isSwiftShader && !(IsWindows() && (isIntel || isAMD)))`
Expose EXT_multisampled_render_to_texture
- **enablePreRotateSurfaces** (Vulkan features) [anglebug:3502](#): Disabled: IsAndroid() && supportsNegativeViewport
Enable Android pre-rotation for landscape applications
- **enablePrecisionQualifiers** (Vulkan features) [anglebug:3078](#): Enabled: !
`(IsPixel2(mPhysicalDeviceProperties.vendorID, mPhysicalDeviceProperties.deviceID) && (mPhysicalDeviceProperties.driverVersion < kPixel2DriverWithRelaxedPrecision)) && !IsPixel4(mPhysicalDeviceProperties.vendorID, mPhysicalDeviceProperties.deviceID)`
Enable precision qualifiers in shaders
- **explicitlyEnablePerSampleShading** (Vulkan workarounds) [anglebug:6876](#): Disabled:
isARM
Explicitly enable per-sample shading if the fragment shader contains the sample qualifier
- **exposeNonConformantExtensionsAndVersions** (Vulkan workarounds) [anglebug:5375](#): Disabled:
kExposeNonConformantExtensionsAndVersions
Expose GLES versions and extensions that are not conformant.
- **forceContinuousRefreshOnSharedPresent** (Vulkan features)
<https://issuetracker.google.com/229267970>: Disabled: false
Force to create vulkan swapchain with continuous refresh on shared present
- **forceD16TexFilter** (Vulkan workarounds) [anglebug:3452](#): Disabled: IsAndroid() && isQualcommProprietary
VK_FORMAT_D16_UNORM does not support VK_FORMAT_FEATURE_SAMPLED_IMAGE_FILTER_LINEAR_BIT, which prevents OES_depth_texture from being supported.
- **forceFallbackFormat** (Vulkan workarounds): Disabled
Force a fallback format for angle_end2end_tests
- **forceFragmentShaderPrecisionHighpToMediump** (Vulkan workarounds)
<https://issuetracker.google.com/18485002>: Disabled: false
Forces highp precision in fragment shader to mediump.
- **forceMaxUniformBufferSize16KB** (Vulkan workarounds)
<https://issuetracker.google.com/161903006>: Disabled: isQualcommProprietary && isAdreno540
Force max uniform buffer size to 16K on some device due to bug
- **forceNearestFiltering** (Vulkan workarounds): Disabled
Force nearest filtering when sampling.
- **forceNearestMipFiltering** (Vulkan workarounds): Disabled
Force nearest mip filtering when sampling.
- **forceStaticVertexStrideState** (Vulkan workarounds)
<https://bugs.fuchsia.dev/p/fuchsia/issues/detail?id=107106>: Disabled:
`mFeatures.supportsExtendedDynamicState.enabled && isARM`
Force static state for VK_DYNAMIC_STATE_VERTEX_INPUT_BINDING_STRIDE_EXT due to driver bugs
- **forceSubmitImmutableTextureUpdates** (Vulkan app workarounds) [anglebug:6929](#): Disabled

Force submit updates to immutable textures

- **forceTextureLodOffset1** (Vulkan workarounds): **Disabled**
Increase the minimum texture level-of-detail by 1 when sampling.
- **forceTextureLodOffset2** (Vulkan workarounds): **Disabled**
Increase the minimum texture level-of-detail by 2 when sampling.
- **forceTextureLodOffset3** (Vulkan workarounds): **Disabled**
Increase the minimum texture level-of-detail by 3 when sampling.
- **forceTextureLodOffset4** (Vulkan workarounds): **Disabled**
Increase the minimum texture level-of-detail by 4 when sampling.
- **generateSPIRVThroughGlslang** (Vulkan features) [anglebug:4889](#): **Disabled**:
kUseSpirvGenThroughGlslang
Translate SPIR-V through glslang.
- **logMemoryReportCallbacks** (Vulkan features): **Disabled**: false
Log each callback from VK_EXT_device_memory_report
- **logMemoryReportStats** (Vulkan features): **Disabled**: false
Log stats from VK_EXT_device_memory_report each swap
- **mapUnspecifiedColorSpaceToPassThrough** (Vulkan features): **Disabled**
Use VK_COLOR_SPACE_PASS_THROUGH_EXT for EGL_NONE or unspecified color spaces
- **mutableMipmapTextureUpload** (Vulkan features) [anglebug:7308](#): **Enabled**: !
(IsWindows() && isIntel)
Enable uploading the previously defined mutable mipmap texture.
- **overrideSurfaceFormatRGB8ToRGBA8** (Vulkan workarounds) [anglebug:6651](#): **Enabled**: true
Override surface format GL_RGB8 to GL_RGBA8
- **padBuffersToMaxVertexAttribStride** (Vulkan workarounds) [anglebug:4428](#): **Disabled**:
isAMD || isSamsung
Vulkan considers vertex attribute accesses to count up to the last multiple of the stride. This additional access supports AMD's robust buffer access implementation. AMDVLK in particular will return incorrect values when the vertex access extends into the range that would be the stride padding and the buffer is too small. This workaround limits GL_MAX_VERTEX_ATTRIB_STRIDE to a maximum value and pads up every buffer allocation size to be a multiple of the maximum stride.
- **perFrameWindowSizeQuery** (Vulkan workarounds) [anglebug:3623](#): **Disabled**: IsAndroid()
|| isIntel || (IsWindows() && isAMD) || IsFuchsia() || isSamsung || displayVk->isWayland()
Vulkan swapchain is not returning VK_ERROR_OUT_OF_DATE when window resizing
- **permanentlySwitchToFramebufferFetchMode** (Vulkan features): **Disabled**:
isTileBasedRenderer
Whether the context should permanently switch to framebuffer fetch mode on first encounter
- **persistentlyMappedBuffers** (Vulkan features) [anglebug:2162](#): **Enabled**: true
Persistently map buffer memory to reduce map/unmap IOCTL overhead.
- **precisionSafeDivision** (Vulkan workarounds): **Disabled**: isSamsung || isAMD
Special case handling for platforms that do not generate 1.0f even when the dividend and divisor have the same value
- **preferAggregateBarrierCalls** (Vulkan workarounds) [anglebug:4633](#): **Enabled**:
isImmediateModeRenderer
Single barrier call is preferred over multiple calls with fine grained pipeline stage dependency information
- **preferCPUForBufferSubData** (Vulkan features)
<http://issuetracker.google.com/200067929>: **Disabled**: isARM
Prefer use CPU to do bufferSubData instead of staged update.
- **preferDeviceLocalMemoryHostVisible** (Vulkan features) [anglebug:7047](#): **Enabled**:
!isDiscreteGPU
Prefer adding HOST_VISIBLE flag for DEVICE_LOCAL memory when picking memory types
- **preferDrawClearOverVkCmdClearAttachments** (Vulkan workarounds)
<https://issuetracker.google.com/166809097>: **Disabled**: isQualcommProprietary

On some hardware, clear using a draw call instead of vkCmdClearAttachments in the middle of render pass due to bugs

- **preferDriverUniformOverSpecConst** (Vulkan features) [anglebug:7406](#): Enabled:
(isQualcommProprietary && mPhysicalDeviceProperties.driverVersion < kPixel4DriverWithWorkingSpecConstSupport) || isARM || isPowerVR || isSwiftShader
Prefer using driver uniforms instead of specialization constants.
- **preferLinearFilterForYUV** (Vulkan features) [anglebug:7382](#): Disabled
Prefer to use VK_FILTER_LINEAR for VkSamplerYcbcrConversion
- **preferSkippingInvalidateForEmulatedFormats** (Vulkan workarounds) [anglebug:6860](#): Enabled: isImmediateModeRenderer
Skipping invalidate is preferred for emulated formats that have extra channels over re-clearing the image
- **preferSubmitAtFBOBoundary** (Vulkan workarounds)
<https://issuetracker.google.com/187425444>: Disabled: isARM
Submit commands to driver at each FBO boundary for performance improvements.
- **provokingVertex** (Vulkan features): Enabled: true
Enable provoking vertex mode via VK_EXT_provoking_vertex extension
- **retainSPIRVDebugInfo** (Vulkan features) [anglebug:5901](#): Disabled:
getEnableValidationLayers()
Retain debug info in SPIR-V blob.
- **roundOutputAfterDithering** (Vulkan workarounds) [anglebug:6953](#): Disabled:
isQualcomm
Round output after dithering to workaround a driver bug that rounds the output up
- **shadowBuffers** (Vulkan features) [anglebug:4339](#): Disabled: false
Allocate a shadow buffer for GL buffer objects to reduce glMap latency.*
- **supportsAndroidHardwareBuffer** (Vulkan features): Disabled
VkDevice supports the VK_ANDROID_external_memory_android_hardware_buffer extension
- **supportsAndroidNativeFenceSync** (Vulkan features) [anglebug:2517](#): Disabled
VkDevice supports the EGL_ANDROID_native_fence_sync extension
- **supportsBlendOperationAdvanced** (Vulkan features) [anglebug:3586](#): Enabled:
ExtensionFound("VK_EXT_blend_operation_advanced", deviceExtensionNames)
VkDevice supports VK_EXT_blend_operation_advanced extension.
- **supportsColorWriteEnable** (Vulkan features) [anglebug:7161](#): Disabled
VkDevice supports VK_EXT_color_write_enable extension
- **supportsCustomBorderColor** (Vulkan features) [anglebug:3577](#): Enabled:
mCustomBorderColorFeatures.customBorderColors == 1U &&
mCustomBorderColorFeatures.customBorderColorWithoutFormat == 1U
VkDevice supports the VK_EXT_custom_border_color extension
- **supportsDepthClipControl** (Vulkan features) [anglebug:5421](#): Enabled:
mDepthClipControlFeatures.depthClipControl == 1U
VkDevice supports VK_EXT_depth_clip_control extension.
- **supportsDepthStencilResolve** (Vulkan features) [anglebug:4836](#): Enabled:
mFeatures.supportsRenderpass2.enabled &&
mDepthStencilResolveProperties.supportedDepthResolveModes != 0
VkDevice supports the VK_KHR_depth_stencil_resolve extension with the independentResolveNone feature
- **supportsExtendedDynamicState** (Vulkan features) [anglebug:5906](#): Enabled:
mExtendedDynamicStateFeatures.extendedDynamicState == 1U
VkDevice supports VK_EXT_extended_dynamic_state extension
- **supportsExtendedDynamicState2** (Vulkan features) [anglebug:5906](#): Disabled:
mExtendedDynamicState2Features.extendedDynamicState2 == 1U
VkDevice supports VK_EXT_extended_dynamic_state2 extension
- **supportsExternalFenceCapabilities** (Vulkan features): Enabled: true
VkInstance supports the VK_KHR_external_fence_capabilities extension
- **supportsExternalFenceFd** (Vulkan features) [anglebug:2517](#): Disabled:
ExtensionFound("VK_KHR_external_fence_fd", deviceExtensionNames)
VkDevice supports the VK_KHR_external_fence_fd extension

- **supportsExternalMemoryDmaBufAndModifiers** (Vulkan features) [anglebug:6248](#):
Disabled: ExtensionFound("VK_EXT_external_memory_dma_buf", deviceExtensionNames) && ExtensionFound("VK_EXT_image_drm_format_modifier", deviceExtensionNames)
VkDevice supports the VK_EXT_external_memory_dma_buf and VK_EXT_image_drm_format_modifier extensions
- **supportsExternalMemoryFd** (Vulkan features): **Enabled**:
ExtensionFound("VK_KHR_external_memory_fd", deviceExtensionNames)
VkDevice supports the VK_KHR_external_memory_fd extension
- **supportsExternalMemoryFuchsia** (Vulkan features): **Disabled**:
ExtensionFound("VK_FUCHSIA_external_memory", deviceExtensionNames)
VkDevice supports the VK_FUCHSIA_external_memory extension
- **supportsExternalMemoryHost** (Vulkan features): **Enabled**:
ExtensionFound("VK_EXT_external_memory_host", deviceExtensionNames)
VkDevice supports the VK_EXT_external_memory_host extension
- **supportsExternalSemaphoreCapabilities** (Vulkan features): **Enabled**: true
VkInstance supports the VK_KHR_external_semaphore_capabilities extension
- **supportsExternalSemaphoreFd** (Vulkan features): **Enabled**:
ExtensionFound("VK_KHR_external_semaphore_fd", deviceExtensionNames)
VkDevice supports the VK_KHR_external_semaphore_fd extension
- **supportsExternalSemaphoreFuchsia** (Vulkan features): **Disabled**:
ExtensionFound("VK_FUCHSIA_external_semaphore", deviceExtensionNames)
VkDevice supports the VK_FUCHSIA_external_semaphore extension
- **supportsFilteringPrecision** (Vulkan features): **Enabled**:
ExtensionFound("VK_GOOGLE_sampler_filtering_precision", deviceExtensionNames)
VkDevice supports the VK_GOOGLE_sampler_filtering_precision extension
- **supportsFragmentShaderPixelInterlock** (Vulkan features): **Disabled**:
mFragmentShaderInterlockFeatures.fragmentShaderPixelInterlock == 1U
VkDevice supports the VK_EXT_fragment_shader_interlock extension and has the fragmentShaderPixelInterlock feature
- **supportsFragmentShadingRate** (Vulkan features) [anglebug:7172](#): **Disabled**:
canSupportFragmentShadingRate(deviceExtensionNames)
VkDevice supports VK_KHR_fragment_shading_rate extension
- **supportsGGPFrameToken** (Vulkan features): **Disabled**
VkDevice supports the VK_GGP_frame_token extension
- **supportsGeometryStreamsCapability** (Vulkan features) [anglebug:3206](#): **Disabled**:
mTransformFeedbackFeatures.geometryStreams == 1U
Implementation supports the GeometryStreams SPIR-V capability.
- **supportsHostQueryReset** (Vulkan features) [anglebug:6692](#): **Enabled**:
(mHostQueryResetFeatures.hostQueryReset == 1U)
VkDevice supports VK_EXT_host_query_reset extension
- **supportsImage2dViewOf3d** (Vulkan features) [anglebug:7320](#): **Disabled**:
mImage2dViewOf3dFeatures.image2DViewOf3D == 1U &&
mImage2dViewOf3dFeatures.sampler2DViewOf3D == 1U
VkDevice supports VK_EXT_image_2d_view_of_3d
- **supportsImageCubeArray** (Vulkan features) [anglebug:3584](#): **Enabled**:
mPhysicalDeviceFeatures.imageCubeArray == 1U
VkDevice supports the imageCubeArray feature properly
- **supportsImageFormatList** (Vulkan features) [anglebug:5281](#): **Enabled**:
ExtensionFound("VK_KHR_image_format_list", deviceExtensionNames)
Enable VK_IMAGE_CREATE_MUTABLE_FORMAT_BIT by default for ICDs that support VK_KHR_image_format_list
- **supportsImagelessFramebuffer** (Vulkan features) [anglebug:7553](#): **Enabled**:
mImagelessFramebufferFeatures.imagelessFramebuffer == 1U
VkDevice supports VK_KHR_imageless_framebuffer extension
- **supportsIncrementalPresent** (Vulkan features): **Disabled**:
ExtensionFound("VK_KHR_incremental_present", deviceExtensionNames)
VkDevice supports the VK_KHR_incremental_present extension

- **supportsIndexTypeUInt8** (Vulkan features) [anglebug:4405](#): **Disabled**:
mIndexTypeUInt8Features.indexTypeUInt8 == 1U
VkDevice supports the VK_EXT_index_type_uint8 extension
- **supportsLockSurfaceExtension** (Vulkan features): **Disabled**: IsAndroid()
Surface supports the EGL_KHR_lock_surface3 extension
- **supportsMultiDrawIndirect** (Vulkan features) [anglebug:6439](#): **Enabled**:
mPhysicalDeviceFeatures.multiDrawIndirect == 1U
VkDevice supports the multiDrawIndirect extension
- **supportsMultisampledRenderToSingleSampled** (Vulkan features) [anglebug:4836](#): **Disabled**:
mFeatures.supportsRenderpass2.enabled &&
mFeatures.supportsDepthStencilResolve.enabled &&
mMultisampledRenderToSingleSampledFeatures.multisampledRenderToSingleSampled == 1U
VkDevice supports the VK_EXT_multisampled_render_to_single_sampled extension
- **supportsMultisampledRenderToSingleSampledGOOGLEX** (Vulkan features) [anglebug:4836](#): **Disabled**:
!mFeatures.supportsMultisampledRenderToSingleSampled.enabled &&
mFeatures.supportsRenderpass2.enabled &&
mFeatures.supportsDepthStencilResolve.enabled &&
mMultisampledRenderToSingleSampledFeaturesGOOGLEX.multisampledRenderToSingleS == 1U
VkDevice supports the VK_GOOGLE_multisampled_render_to_single_sampled extension
- **supportsMultiview** (Vulkan features) [anglebug:6048](#): **Enabled**:
mMultiviewFeatures.multiview == 1U
VkDevice supports the VK_KHR_multiview extension
- **supportsNegativeViewport** (Vulkan features): **Enabled**: supportsNegativeViewport
The driver supports inverting the viewport with a negative height.
- **supportsPipelineCreationCacheControl** (Vulkan features) [anglebug:5881](#): **Disabled**:
mPipelineCreationCacheControlFeatures.pipelineCreationCacheControl &&
!isSwiftShader
VkDevice supports VK_EXT_pipeline_creation_cache_control extension
- **supportsPipelineCreationFeedback** (Vulkan features) [anglebug:5881](#): **Enabled**:
ExtensionFound("VK_EXT_pipeline_creation_feedback", deviceExtensionNames) ||
mPhysicalDeviceProperties.apiVersion >= (((uint32_t)(0)) << 29) | (((uint32_t)(1)) << 22) |
(((uint32_t)(3)) << 12) | ((uint32_t)(0)))
VkDevice supports VK_EXT_pipeline_creation_feedback extension
- **supportsPipelineRobustness** (Vulkan features) [anglebug:5845](#): **Enabled**:
mPipelineRobustnessFeatures.pipelineRobustness == 1U &&
mPhysicalDeviceFeatures.robustBufferAccess
VkDevice supports VK_EXT_pipeline_robustness extension
- **supportsPipelineStatisticsQuery** (Vulkan features) [anglebug:5430](#): **Disabled**:
mPhysicalDeviceFeatures.pipelineStatisticsQuery == 1U
VkDevice supports the pipelineStatisticsQuery feature
- **supportsPrimitiveTopologyListRestart** (Vulkan features) [anglebug:3832](#): **Enabled**:
mPrimitiveTopologyListRestartFeatures.primitiveTopologyListRestart == 1U
VkDevice supports VK_EXT_primitive_topology_list_restart extension.
- **supportsPrimitivesGeneratedQuery** (Vulkan features) [anglebug:5430](#): **Disabled**:
mPrimitivesGeneratedQueryFeatures.primitivesGeneratedQuery == 1U
VkDevice supports VK_EXT_primitives_generated_query extension
- **supportsProtectedMemory** (Vulkan features) [anglebug:3965](#): **Disabled**:
(mProtectedMemoryFeatures.protectedMemory == 1U) && !isARM
VkDevice supports protected memory
- **supportsRasterizationOrderAttachmentAccess** (Vulkan features) [anglebug:7604](#): **Disabled**
VkDevice supports VK_EXT_rasterization_order_attachment_access extension
- **supportsRenderPassLoadStoreOpNone** (Vulkan features) [anglebug:5371](#): **Enabled**:
ExtensionFound("VK_EXT_load_store_op_none", deviceExtensionNames)

- VkDevice supports VK_EXT_load_store_op_none extension.*
- **supportsRenderPassStoreOpNone** (Vulkan features) [anglebug:5055](#): **Disabled**:
`!mFeatures.supportsRenderPassLoadStoreOpNone.enabled && ExtensionFound("VK_QCOM_render_pass_store_ops", deviceExtensionNames)`
VkDevice supports VK_QCOM_render_pass_store_ops extension.
- **supportsRenderpass2** (Vulkan features): **Enabled**:
`ExtensionFound("VK_KHR_create_renderpass2", deviceExtensionNames)`
VkDevice supports the VK_KHR_create_renderpass2 extension
- **supportsShaderFloat16** (Vulkan features) [anglebug:4551](#): **Disabled**:
`mShaderFloat16Int8Features.shaderFloat16 == 1U`
VkDevice supports the VK_KHR_shader_float16_int8 extension and has the shaderFloat16 feature
- **supportsShaderFramebufferFetch** (Vulkan features): **Enabled**: `(IsAndroid() && isARM) || isSwiftShader`
Whether the Vulkan backend supports coherent framebuffer fetch
- **supportsShaderFramebufferFetchNonCoherent** (Vulkan features): **Enabled**:
`(IsAndroid() && !(isARM || isQualcomm)) || isSwiftShader`
Whether the Vulkan backend supports non-coherent framebuffer fetch
- **supportsShaderStencilExport** (Vulkan features): **Enabled**:
`ExtensionFound("VK_EXT_shader_stencil_export", deviceExtensionNames)`
VkDevice supports the VK_EXT_shader_stencil_export extension
- **supportsSharedPresentableImageExtension** (Vulkan features): **Disabled**
VkSurface supports the VK_KHR_shared_presentable_images extension
- **supportsSurfaceCapabilities2Extension** (Vulkan features): **Disabled**
VkInstance supports the VK_KHR_get_surface_capabilities2 extension
- **supportsSurfaceProtectedCapabilitiesExtension** (Vulkan features): **Disabled**
VkInstance supports the VK_KHR_surface_protected_capabilities extension
- **supportsSurfaceProtectedSwapchains** (Vulkan features): **Disabled**: `IsAndroid()`
VkSurface supports Protected for protected swapchains
- **supportsSurfacelessQueryExtension** (Vulkan features): **Disabled**
VkInstance supports the VK_GOOGLE_surfaceless_query extension
- **supportsTimestampSurfaceAttribute** (Vulkan features) [anglebug:7489](#): **Disabled**:
`IsAndroid() && ExtensionFound("VK_GOOGLE_display_timing", deviceExtensionNames)`
Platform supports setting frame timestamp surface attribute
- **supportsTransformFeedbackExtension** (Vulkan features) [anglebug:3206](#): **Disabled**:
`mTransformFeedbackFeatures.transformFeedback == 1U`
Transform feedback uses the VK_EXT_transform_feedback extension.
- **supportsVertexInputDynamicState** (Vulkan features) [anglebug:7162](#): **Disabled**
VkDevice supports VK_EXT_vertex_input_dynamic_state extension
- **supportsYUVSamplerConversion** (Vulkan features): **Enabled**:
`mSamplerYcbcrConversionFeatures.samplerYcbcrConversion != 0U`
VkDevice supports the VK_KHR_sampler_ycbcr_conversion extension
- **supportsYuvTarget** (Vulkan features): **Disabled**
VkDevice supports VK_ANDROID_render_to_external_format and VK_EXT_ycbcr_attachment
- **swapbuffersOnFlushOrFinishWithSingleBuffer** (Vulkan features) [anglebug:6878](#):
Disabled: `IsAndroid()`
Bypass deferredFlush with calling swapbuffers on flush or finish when in Shared Present mode
- **useMultipleDescriptorsForExternalFormats** (Vulkan workarounds) [anglebug:6141](#):
Enabled: `true`
Return a default descriptor count for external formats.
- **useNonZeroStencilWriteMaskStaticState** (Vulkan workarounds) [anglebug:7556](#):
Disabled: `isARM && armDriverVersion < ARMDriverVersion(40, 0, 0)`
Work around a driver bug where 0 in stencil write mask static state would make the corresponding dynamic state malfunction in the presence of discard or alpha to coverage

- **waitForIdleBeforeSwapchainRecreation** (Vulkan workarounds) [anglebug:5061](#): **Disabled**:
IsAndroid() && isARM
Before passing an oldSwapchain to VkSwapchainCreateInfoKHR, wait for queue to be idle. Works around a bug on platforms which destroy oldSwapchain in vkCreateSwapchainKHR.
- **warmUpPipelineCacheAtLink** (Vulkan features) [anglebug:5881](#): **Enabled**: !isARM && !isPowerVR && !isQualcommProprietary && !(IsLinux() && isIntel) && !(IsChromeOS() && isSwiftShader)
Warm up the Vulkan pipeline cache at link time

DAWN Info

<CPU> Vulkan backend - llvmpipe (LLVM 15.0.0, 256 bits)

[Default Toggle Names]

- **lazy_clear_resource_on_first_use**: [https://crbug.com/dawn/145](#): Clears resource to zero on first usage. This initializes the resource so that no dirty bits from recycled memory is present in the new resource.
- **use_temporary_buffer_in_texture_to_texture_copy**: [https://crbug.com/dawn/42](#): Split texture-to-texture copy into two copies: copy from source texture into a temporary buffer, and copy from the temporary buffer into the destination texture when copying between compressed textures that don't have block-aligned sizes. This workaround is enabled by default on all Vulkan drivers to solve an issue in the Vulkan SPEC about the texture-to-texture copies with compressed formats. See #1005 (<https://github.com/KhronosGroup/Vulkan-Docs/issues/1005>) for more details.
- **vulkan_use_d32s8**: [https://crbug.com/dawn/286](#): Vulkan mandates support of either D32_FLOAT_S8 or D24_UNORM_S8. When available the backend will use D32S8 (toggle to on) but setting the toggle to off will make it use the D24S8 format when possible.
- **vulkan_use_s8**: [https://crbug.com/dawn/666](#): Vulkan has a pure stencil8 format but it is not universally available. When this toggle is on, the backend will use S8 for the stencil8 format, otherwise it will fallback to D32S8 or D24S8.
- **disallow_unsafe_apis**: <http://crbug.com/1138528>: Produces validation errors on API entry points or parameter combinations that aren't considered secure yet.
- **use_vulkan_zero_initialize_workgroup_memory_extension**:
[https://crbug.com/dawn/1302](#): Initialize workgroup memory with OpConstantNull on Vulkan when the Vulkan extension VK_KHR_zero_initialize_workgroup_memory is supported.
[WebGPU Forced Toggles - enabled]
- **disallow_spirv**: [https://crbug.com/1214923](#): Disallow usage of SPIR-V completely so that only WGSL is used for shader modules. This is useful to prevent a Chromium renderer process from successfully sending SPIR-V code to be compiled in the GPU process.
[Supported Features]
 - texture-compression-bc
 - pipeline-statistics-query
 - timestamp-query
 - depth-clip-control
 - depth32float-stencil8
 - indirect-first-instance
 - dawn-internal-usages
 - dawn-native

<CPU> Vulkan backend - SwiftShader Device (Subzero)

[Default Toggle Names]

- **lazy_clear_resource_on_first_use**: [https://crbug.com/dawn/145](#): Clears resource to zero on first usage. This initializes the resource so that no dirty bits from recycled memory is present in the new resource.
- **use_temporary_buffer_in_texture_to_texture_copy**: [https://crbug.com/dawn/42](#): Split texture-to-texture copy into two copies: copy from source texture into a temporary buffer, and copy from the temporary buffer into the destination texture when copying between compressed textures that don't have block-aligned sizes. This workaround is enabled by

default on all Vulkan drivers to solve an issue in the Vulkan SPEC about the texture-to-texture copies with compressed formats. See #1005 (<https://github.com/KhronosGroup/Vulkan-Docs/issues/1005>) for more details.

- **vulkan_use_d32s8:** <https://crbug.com/dawn/286>: Vulkan mandates support of either D32_FLOAT_S8 or D24_UNORM_S8. When available the backend will use D32S8 (toggle to on) but setting the toggle to off will make it use the D24S8 format when possible.
- **vulkan_use_s8:** <https://crbug.com/dawn/666>: Vulkan has a pure stencil8 format but it is not universally available. When this toggle is on, the backend will use S8 for the stencil8 format, otherwise it will fallback to D32S8 or D24S8.
- **disallow_unsafe_apis:** <http://crbug.com/1138528>: Produces validation errors on API entry points or parameter combinations that aren't considered secure yet.
- **use_vulkan_zero_initialize_workgroup_memory_extension:** <https://crbug.com/dawn/1302>: Initialize workgroup memory with OpConstantNull on Vulkan when the Vulkan extension VK_KHR_zero_initialize_workgroup_memory is supported.
[WebGPU Forced Toggles - enabled]
- **disallow_spirv:** <https://crbug.com/1214923>: Disallow usage of SPIR-V completely so that only WGLSL is used for shader modules. This is useful to prevent a Chromium renderer process from successfully sending SPIR-V code to be compiled in the GPU process.
[Supported Features]
- texture-compression-bc
- texture-compression-etc2
- texture-compression-astc
- timestamp-query
- depth-clip-control
- depth32float-stencil8
- indirect-first-instance
- dawn-internal-usages
- dawn-native

<CPU> OpenGLES backend - ANGLE (Google, Vulkan 1.3.0 (SwiftShader Device (Subzero) (0x0000C0DE)), SwiftShader driver-5.0.0)

[Default Toggle Names]

- **lazy_clear_resource_on_first_use:** <https://crbug.com/dawn/145>: Clears resource to zero on first usage. This initializes the resource so that no dirty bits from recycled memory is present in the new resource.
- **disable_base_vertex:** <https://crbug.com/dawn/343>: Disables the use of non-zero base vertex which is unsupported on some platforms.
- **disable_base_instance:** <https://crbug.com/dawn/343>: Disables the use of non-zero base instance which is unsupported on some platforms.
- **disable_indexed_draw_buffers:** <https://crbug.com/dawn/582>: Disables the use of indexed draw buffer state which is unsupported on some platforms.
- **disable_snorm_read:** <https://crbug.com/dawn/667>: Disables reading from Snorm textures which is unsupported on some platforms.
- **disallow_unsafe_apis:** <http://crbug.com/1138528>: Produces validation errors on API entry points or parameter combinations that aren't considered secure yet.
- **flush_before_client_wait_sync:** <https://crbug.com/dawn/633>: Call glFlush before glClientWaitSync to work around bugs in the latter
- **use_placeholder_fragment_in_vertex_only_pipeline:** <https://crbug.com/dawn/136>: Use a placeholder empty fragment shader in vertex only render pipeline. This toggle must be enabled for OpenGL ES backend, and serves as a workaround by default enabled on some Metal devices with Intel GPU to ensure the depth result is correct.
[WebGPU Forced Toggles - enabled]
- **disallow_spirv:** <https://crbug.com/1214923>: Disallow usage of SPIR-V completely so that only WGLSL is used for shader modules. This is useful to prevent a Chromium renderer process from successfully sending SPIR-V code to be compiled in the GPU process.
[Supported Features]
- texture-compression-bc
- dawn-internal-usages

- dawn-native

Version Information

| | |
|------------------------------------|---|
| Data exported | 2022-11-24T18:07:36.689Z |
| Chrome version | Chrome/107.0.5304.110 |
| Operating system | Linux 6.0.7-301.fc37.x86_64 |
| Software rendering list URL | https://chromium.googlesource.com/chromium/src/+/2a558545ab7e6fb8 |
| Driver bug list URL | https://chromium.googlesource.com/chromium/src/+/2a558545ab7e6fb8 |
| ANGLE commit id | bbf57e6db2fa |
| 2D graphics backend | Skia/107 3a8c9bc2f275732b2fd1a566becf421e62fe1f46 |
| Command Line | /usr/bin/google-chrome --enable-crashpad --flag-switches-begin --flag-switches-end chrome://gpu |

Driver Information

| | |
|--|--|
| Initialization time | 1263 |
| In-process GPU | false |
| Passthrough Command Decoder | true |
| Sandboxed | false |
| GPU0 | VENDOR= 0xffff [Google Inc. (Google)], DEVICE=0xffff [ANGLE (Google, Vulkan 1.3.0 (SwiftShader Device (Subzero) (0x0000C0DE)), SwiftShader driver-5.0.0)], DRIVER_VENDOR=SwANGLE, DRIVER_VERSION=5.0.0 *ACTIVE* |
| Optimus | false |
| AMD switchable | false |
| GPU CUDA compute capability major version | 0 |
| Pixel shader version | 1.00 |
| Vertex shader version | 1.00 |
| Max. MSAA samples | 4 |
| Machine model name | |
| Machine model version | |
| GL_VENDOR | Google Inc. (Google) |
| GL_RENDERER | ANGLE (Google, Vulkan 1.3.0 (SwiftShader Device (Subzero) (0x0000C0DE)), SwiftShader driver-5.0.0) |
| GL_VERSION | OpenGL ES 2.0.0 (ANGLE 2.1.19506 git hash: bbf57e6db2fa) |
| GL_EXTENSIONS | GL_AMD_performance_monitor GL_ANGLE_base_vertex_base_instance GL_ANGLE_base_vertex_base_instance_shader_builtin GL_ANGLE_client_arrays GL_ANGLE_compressed_texture_etc GL_ANGLE_depth_texture GL_ANGLE_framebuffer.blit GL_ANGLE_framebuffer_multisample GL_ANGLE_get_image GL_ANGLE_get_serialized_context_string GL_ANGLE_get_tex_level_parameter GL_ANGLE_instanced_arrays GL_ANGLE_memory_object_flags GL_ANGLE_memory_size GL_ANGLE_multi_draw GL_ANGLE_program_cache_control GL_ANGLE_read_only_depth_stencil_feedback_loops GL_ANGLE_relaxed_vertex_attribute_type GL_ANGLE_request_extension GL_ANGLE_rgbi_internal_format GL_ANGLE_robust_client_memory GL_ANGLE_robust_fragment_shader_output GL_ANGLE_robust_resource_initialization |

GL_ANGLE_texture_compression_dxt3
GL_ANGLE_texture_compression_dxt5 GL_ANGLE_texture_usage
GL_ANGLE_vulkan_image GL_APPLE_clip_distance
GL_CHROMIUM_bind_generates_resource
GL_CHROMIUM_bind_uniform_location
GL_CHROMIUM_color_buffer_float_rgb
GL_CHROMIUM_color_buffer_float_rgba
GL_CHROMIUM_copy_compressed_texture
GL_CHROMIUM_copy_texture GL_CHROMIUM_lose_context
GL_CHROMIUM_texture_filtering_hint
GL_EXT_EGL_image_external_wrap_modes GL_EXT_base_instance
GL_EXT_blend_minmax GL_EXT_buffer_storage GL_EXT_clip_control
GL_EXT_color_buffer_half_float
GL_EXT_compressed_ETC1_RGB8_sub_texture
GL_EXT_copy_image GL_EXT_debug_label GL_EXT_debug_marker
GL_EXT_discard_framebuffer GL_EXT_disjoint_timer_query
GL_EXT_draw_buffers GL_EXT_draw_elements_base_vertex
GL_EXT_float_blend GL_EXT_frag_depth GL_EXT_instanced_arrays
GL_EXT_map_buffer_range GL_EXT_memory_object
GL_EXT_memory_object_fd GL_EXT_multi_draw_indirect
GL_EXT_occlusion_query_boolean GL_EXT_read_format_bgra
GL_EXT_robustness GL_EXT_sRGB GL_EXT_sRGB_write_control
GL_EXT_semaphore GL_EXT_semaphore_fd
GL_EXT_separate_shader_objects GL_EXT_shader_framebuffer_fetch
GL_EXT_shader_framebuffer_fetch_non_coherent
GL_EXT_shader_non_constant_global_initializers
GL_EXT_shader_texture_lod GL_EXT_shadow Samplers
GL_EXT_texture_border_clamp GL_EXT_texture_compression_bptc
GL_EXT_texture_compression_dxt1
GL_EXT_texture_compression_rgtc
GL_EXT_texture_compression_s3tc_srgb
GL_EXT_texture_filter_anisotropic
GL_EXT_texture_format_BGRA8888 GL_EXT_texture_rg
GL_EXT_texture_sRGB_decode GL_EXT_texture_storage
GL_EXT_texture_type_2_10_10_10_REV GL_EXT_unpack_subimage
GL_KHR_blend_equation_advanced GL_KHR_debug
GL_KHR_robust_buffer_access_behavior
GL_KHR_texture_compression_astc_ldr GL_NV_depth_buffer_float2
GL_NV_fence GL_NV_framebuffer.blit GL_NV_pack_subimage
GL_NV_pixel_buffer_object GL_NV_read_depth
GL_NV_read_depth_stencil GL_NV_read_stencil
GL_OES_EGL_image GL_OES_EGL_image_external
GL_OES_EGL_sync GL_OES_compressed_EAC_R11_signed_texture
GL_OES_compressed_EAC_R11_unsigned_texture
GL_OES_compressed_EAC_RG11_signed_texture
GL_OES_compressed_EAC_RG11_unsigned_texture
GL_OES_compressed_ETC1_RGB8_texture
GL_OES_compressed_ETC2_RGB8_texture
GL_OES_compressed_ETC2_RGBA8_texture
GL_OES_compressed_ETC2_punchthroughA_RGBA8_texture
GL_OES_compressed_ETC2_punchthroughA_sRGB8_alpha_texture
GL_OES_compressed_ETC2_sRGB8_alpha8_texture
GL_OES_compressed_ETC2_sRGB8_texture GL_OES_depth24
GL_OES_depth32 GL_OES_depth_texture
GL_OES_depth_texture_cube_map
GL_OES_draw_elements_base_vertex GL_OES_element_index_uint
GL_OES_fbo_render_mipmap GL_OES_get_program_binary
GL_OES_mapbuffer GL_OES_packed_depth_stencil

| | |
|--|---|
| | GL_OES_primitive_bounding_box GL_OES_rgb8_rgba8 GL_OES_sample_shading GL_OES_standard_derivatives GL_OES_surfaceless_context GL_OES_texture_3D GL_OES_texture_border_clamp GL_OES_texture_float GL_OES_texture_float_linear GL_OES_texture_half_float GL_OES_texture_half_float_linear GL_OES_texture_npot GL_OES_texture_stencil8 GL_OES_vertex_array_object GL_OES_vertex_half_float |
| Disabled Extensions | |
| Disabled WebGL Extensions | |
| Window system binding vendor | Google Inc. (Google) |
| Window system binding version | 1.5 (ANGLE 2.1.19506 git hash: bbf57e6db2fa) |
| Window system binding extensions | EGL_EXT_create_context_robustness EGL_ANGLE_surface_orientation EGL_KHR_create_context EGL_KHR_image EGL_KHR_image_base EGL_EXT_image_gl_colorspace EGL_KHR_gl_colorspace EGL_KHR_gl_texture_2D_image EGL_KHR_gl_texture_cubemap_image EGL_KHR_gl_renderbuffer_image EGL_KHR_get_all_proc_addresses EGL_KHR_fence_sync EGL_KHR_wait_sync EGL_ANGLE_create_context_webgl_compatibility EGL_CHROMIUM_create_context_bind_generates_resource EGL_KHR_swap_buffers_with_damage EGL_EXT_pixel_format_float EGL_KHR_surfaceless_context EGL_ANGLE_display_texture_share_group EGL_ANGLE_display_semaphore_share_group EGL_ANGLE_create_context_client_arrays EGL_ANGLE_program_cache_control EGL_ANGLE_robust_resource_initialization EGL_ANGLE_create_context_extensions_enabled EGL_ANDROID_blob_cache EGL_ANDROID_recordable EGL_ANGLE_create_context_backwards_compatible EGL_KHR_no_config_context EGL_IMG_context_priority EGL_KHR_create_context_no_error EGL_KHR_reusable_sync EGL_EXT_buffer_age EGL_ANGLE_create_surface_swap_interval EGL_ANGLE_vulkan_image EGL_KHR_partial_update |
| XDG_CURRENT_DESK | KDE |
| ◀ | ▶ |
| XDG_SESSION_TYPE | x11 |
| Ozone platform | x11 |
| Direct rendering version | unknown |
| Reset notification strategy | 0x8252 |
| GPU process crash count | 0 |
| gfx::BufferFormats supported for allocation and texturing | R_8: not supported, R_16: not supported, RG_88: not supported, RG_1616: not supported, BGR_565: not supported, RGBA_4444: not supported, RGBX_8888: not supported, RGBA_8888: not supported, BGRX_8888: not supported, BGRA_1010102: not supported, RGBA_1010102: not supported, BGRA_8888: not supported, RGBA_F16: not supported, YVU_420: not supported, YUV_420_BIPLANAR: not supported, P010: not supported |

Composer Information

| | |
|------------------|----------|
| Tile Update Mode | One-copy |
| Partial Raster | Enabled |

GpuMemoryBuffers Status

| | |
|------------------|---------------|
| R_8 | Software only |
| R_16 | Software only |
| RG_88 | Software only |
| RG_1616 | Software only |
| BGR_565 | Software only |
| RGBA_4444 | Software only |
| RGBX_8888 | Software only |
| RGBA_8888 | Software only |
| BGRX_8888 | Software only |
| BGRA_1010102 | Software only |
| RGBA_1010102 | Software only |
| BGRA_8888 | Software only |
| RGBA_F16 | Software only |
| YVU_420 | Software only |
| YUV_420_BIPLANAR | Software only |
| P010 | Software only |

Display(s) Information

| | |
|--------------------------------|---|
| Info | Display[2763738964855105] bounds=[0,0 1920x1080], workarea=[0,0 1920x1044], scale=1, rotation=0, panel_rotation=0 external. |
| Color space (all) | {r:[0.6495, 0.3359], g:[0.2894, 0.6091], b:[0.1465, 0.3359], w:[0.3127, 0.3290]}, transfer:SRGB, matrix:RGB, range:FULL} |
| Buffer format (all) | BGRA_8888 |
| Color volume | {r:[0.6495, 0.3359], g:[0.2894, 0.6091], b:[0.1465, 0.3359], w:[0.3127, 0.3290]} |
| SDR white level in nits | 203 |
| HDR relative maximum luminance | 1 |
| Bits per color component | 8 |
| Bits per pixel | 24 |
| Refresh Rate in Hz | 60 |

Video Acceleration Information

| | |
|----------|--|
| Decoding | |
| Encoding | |

Vulkan Information

Device Performance Information

Log Messages

- [1007634:1007634:1124/210726.180630:ERROR:viz_main_impl.cc(186)] : Exiting GPU process due to errors during initialization
- GpuProcessHost: The GPU process exited normally. Everything is okay.
- [1007892:1007892:1124/210727.591859:WARNING:sandbox_linux.cc(380)] : InitializeSandbox() called with multiple threads in process gpu-process.

